Master Index to Volumes 61-70

| Adamowicz, Z., A contribution to the end-extension problem | | |
|---|-----------|---------|
| and the Π_1 conservativeness problem | 61 (1993) | 3- 48 |
| Ambos-Spies, K., Lachlan, A.H. and Soare, R.I., | | |
| The continuity of cupping to 0' | 64 (1993) | 195-209 |
| Ambos-spies, K. and Shore, R.A., Undecidability and 1-types | | |
| in the recursively enumerable degrees | 63 (1993) | 3- 37 |
| Archangelsky, D.A. and Taitslin, M.A., Linear logic with | | |
| fixed resources with fixed resources | 67 (1994) | 3- 28 |
| Artëmov, S., Logic of proofs | 67 (1994) | 29- 59 |
| Ash, C.J. and Knight, J.F., Ramified systems | 70 (1994) | 205-221 |
| Bagaria , J., Fragments of Martin's axiom and Δ_3^1 sets of reals | 69 (1994) | 1- 25 |
| Bäuerle, F.A. and Remmel, J.B., On speedable and levelable | | |
| vector spaces | 67 (1994) | 61-112 |
| Beklemishev, L.D., On bimodal logics of provability | 68 (1994) | 115-159 |
| Belegradek, O.V., The model theory of unitriangular groups | 68 (1994) | 225-261 |
| Berarducci, A. and Verbrugge, R., On the provability logic | | |
| of bounded arithmetic | 61 (1993) | 75- 93 |
| Biró, B. and Sain, I., Peano arithmetic as axiomatization of | | |
| the time frame in logics of programs and in dynamic logics | 63 (1993) | 201-225 |
| Boolos, G., The analytical completeness of Dzhaparidze's | | |
| polymodal logics | 61 (1993) | 95–111 |
| Calhoun, W.C., Incomparable prime ideals of recursively | | |
| enumerable degrees | 63 (1993) | 39- 56 |
| Cardone, F., Dezani-Ciancaglini, M. and De'Liguoro, U., | | |
| Combining type disciplines | 66 (1994) | 197–230 |
| Cholak, P. and Downey, R., Lattice nonembeddings | | |
| and intervals of the recursively enumerable degrees | 61 (1993) | 195–221 |
| Cook, S. and Urquhart, A., Functional interpretations of | | |
| feasibly constructive arithmetic | 63 (1993) | |
| Cummings, J., Coherent sequences versus Radin sequences | 70 (1994) | |
| Cummings, J., Possible behaviours for the Mitchell ordering | 65 (1993) | 107–123 |

Elsevier Science B.V.

| D'aquino, P., A sharpened version of McAloon's theorem | | |
|---|-------------------|---|
| on initial segments of models of $I\Delta_0$ | 61 (1993) 49- 62 | 2 |
| Davey, K.J., Inseparability in recursive copies | 68 (1994) 1- 52 | 2 |
| Degtev, A.N., On p-reducibility of numerations | 63 (1993) 57- 60 | 0 |
| De'Liguoro, U., see Cardone, F. | 66 (1994) 197-230 | 0 |
| De Paiva, V., see Hyland, M. | 64 (1993) 273-291 | 1 |
| Dezani-Ciancaglini, M., see Cardone, F. | 66 (1994) 197-230 |) |
| Došen, K., Rudimentary Kripke models for the | | |
| intuitionistic propositional calculus | 62 (1993) 21- 49 |) |
| Dougherty, R., Critical points in an algebra of elementary | | |
| embeddings | 65 (1993) 211–241 | 1 |
| Dowek, G., Third order matching is decidable | 69 (1994) 135–155 | 5 |
| Downey, R., Gasarch, W. and Moses, M., The structure | | |
| of the honest polynomial m-degrees | 70 (1994) 113–139 |) |
| Downey, R. and Stob, M., Splitting theorems in recursion | | |
| theory | 65 (1993) 1–106 |) |
| Downey, R., see Cholak, P. | 61 (1993) 195–221 | L |
| Downey, R.G. and Yue, Y., A rank one cohesive set | 68 (1994) 161–171 | |
| Dzhaparidze, G., A generalized notion of weak | | |
| interpretability and the corresponding modal logic | 61 (1993) 113–160 |) |
| Dzhaparidze, G., The logic of arithmetical hierarchy | 66 (1994) 89–112 | 2 |
| Evans, D.M. and Hrushovski, E., On the automorphism | | |
| groups of finite covers | 62 (1993) 83–112 | |
| Farmer, W.M., A simple type theory with partial functions | | |
| and subtypes | 64 (1993) 211–240 |) |
| Feferman, S. and Jäger, G., Systems of explicit mathe- | | |
| matics with non-constructive μ -operator. Part I | 65 (1993) 243–263 |) |
| Fortnow, L., Gasarch, W., Jain, S., Kinber, E., Kummer, M., | | |
| Kurtz, S., Pleszkovich, M., Slaman, T., Solovay, R. | | |
| and Stephan, F., Extremes in the degrees of inferability | 66 (1994) 231–276 | 1 |
| Friedman, H., Simpson, S.G. and Yu, X., Periodic points | (2 (1002) 51 (1 | |
| and subsystems of second-order arithmetic | 62 (1993) 51– 64 | |
| Friedman, S.D., A simpler proof of Jensen's coding theorem | 70 (1994) 1– 16 | |
| Gasarch, W., see Downey, R. | 70 (1994) 113–139 | |
| Gasarch, W., see Fortnow, L. | 66 (1994) 231–276 | |
| Gitik, M., On measurable cardinals violating the | (2 (1002) 227 240 | |
| continuum hypothesis | 63 (1993) 227–240 | |
| Givant, S. and Shelah, S., Universal theories categorical | (0 (1004) 27 51 | |
| in power and κ -generated models Croif A.D. and Laskowski. M.C. An amitting types theorem | 69 (1994) 27– 51 | |
| Greif, A.D. and Laskowski, M.C., An omitting types theorem for saturated structures | 62 (1002) 112 110 | |
| | 62 (1993) 113–118 | |
| Halpern, J.Y. and Kapron, B., Zero-one laws for modal logic | 69 (1994) 157–193 | |

| Handley, W.G. and Wainer, S.S., Equational derivation vs. | |
|---|---------------------|
| computation | 70 (1994) 17– 49 |
| Harper, R., Sannella, D. and Tarlecki, A., Structured theory | 70 (1774) 17 47 |
| presentations and logic representations | 67 (1994) 113–160 |
| Hart, B., see Shelah, S. | 64 (1993) 169–194 |
| Hart, B. and Starchenko, S., Superstable quasi-varieties | 69 (1994) 53– 71 |
| Hart, B., Pillay, A. and Starchenko, S., Triviality, NDOP | 0) (1))4) 33 11 |
| and stable varieties | 62 (1993) 119–146 |
| Haskell, D. and Macpherson, D., Cell decompositions | 02 (1993) 119 140 |
| of C-minimal structures | 66 (1994) 113–162 |
| Hird, G.R., Recursive properties of relations on models | 63 (1993) 241–269 |
| Hirst, J.L., Reverse mathematics and ordinal exponentiation | 66 (1994) 1– 18 |
| Hrushovski, E., A new strongly minimal set | 62 (1993) 147–166 |
| Hrushovski, E., see Evans, D.M. | 62 (1993) 83–112 |
| Huberich, M., Large ideals on small cardinals | 64 (1993) 241–271 |
| Hyland, M. and De Paiva, V., Full intuitionistic linear | 0. (1220) 2.11 2.11 |
| logic (extended abstract) | 64 (1993) 273-291 |
| Ignatiev, K.N., The provability logic for β_1 -interpolability | 64 (1993) 1- 25 |
| Jacobs, B., Semantics of weakening and contraction | 69 (1994) 73–106 |
| Jäger, G., see Feferman, S. | 65 (1993) 243–263 |
| Jain, S., see Fortnow, L. | 66 (1994) 231–276 |
| Jin, R. and Shelah, S., Essential Kurepa trees versus | (, |
| essential Jech-Kunen trees | 69 (1994) 107-131 |
| Joyal, A. and Moerdijk, I., A completeness theorem for | |
| open maps | 70 (1994) 51- 86 |
| Kaddah, D., Infima in the d.r.e. degrees | 62 (1993) 207–263 |
| Kagan, V., Nerode, A. and Subrahmanian, V.S., Computing | , , |
| definite logic programs by partial instantiation | 67 (1994) 161-182 |
| Kamburelis, A., On the weak distributivity game | 66 (1994) 19- 26 |
| Kanovich, M.I., The complexity of Horn fragments | |
| of Linear Logic | 69 (1994) 195-241 |
| Kanovich, M.I., Linear logic as a logic of computations | 67 (1994) 183-212 |
| Kapron, B., see Halpern, J.Y. | 69 (1994) 157-193 |
| Kaye, R., Hibert's tenth problem for weak theories | |
| of arithmetic | 61 (1993) 63- 73 |
| Khoussainov, B., Recursive unary algebras and trees | 67 (1994) 213–268 |
| Kinber, E., see Fortnow, L. | 66 (1994) 231–276 |
| Klarlund, N., Progress measures, immediate determinacy, | |
| and a subset construction for tree automata | 69 (1994) 243–268 |
| Knight, J.F., see Ash, C.J. | 70 (1994) 205–221 |
| Kohlenbach, U., Effective moduli from ineffective | |
| uniqueness proofs. An unwinding of de La Vallée | |
| oussin's proof for Chebycheff approximation | 64 (1993) 27– 94 |

| Kossak, R., Kotlarski, H. and Schmerl, J.H., On maximal | |
|--|-------------------|
| subgroups of the automorphism group of a countable | |
| recursively saturated model of PA | 65 (1993) 125–148 |
| Kotlarski, H., see Kossak, R. | 65 (1993) 125–148 |
| Krivine, JL., Classical logic, storage operators and | 03 (1773) 123 140 |
| second-order lambda-calculus | 68 (1994) 53- 78 |
| Kučera, A., On relative randomness | 63 (1993) 61– 67 |
| Kummer, M., see Fortnow, L. | 66 (1994) 231–276 |
| Kurtz, S., see Fortnow, L. | 66 (1994) 231–276 |
| Lachlan, A.H., see Ambos-Spies, K. | 64 (1993) 195–209 |
| Laflamme, C., see Shelah, S. | 64 (1993) 169–194 |
| Laskowski, M.C., see Greif, A.D. | 62 (1993) 113–118 |
| Leloup, G., Rings of monoids elementarily equivalent | 02 (1993) 113–116 |
| to polynomial rings | 68 (1994) 173–180 |
| Lindström, P., On Σ_1 and Π_1 sentences and degrees of | 00 (1774) 175-100 |
| interpretability | 61 (1993) 175–193 |
| Louveau, A., Shelah, S. and Veličković, B., Borel partitions | 01 (1993) 173–193 |
| of infinite subtrees of a perfect tree | 63 (1993) 271–281 |
| Macintyre, A., see Scowcroft, P. | 61 (1993) 241–276 |
| Macpherson, D., see Haskell, D. | 66 (1994) 113–162 |
| Marcja, A., Prest, M. and Toffalori, C., On the undecidability | 00 (1774) 113-102 |
| of some classes of abelian-by-finite groups | 62 (1993) 167–173 |
| Marek, V.W., Nerode, A. and Remmel, J.B., A context for | 02 (1773) 107–173 |
| belief revision: forward chaining-normal nonmonotonic | |
| rule systems | 67 (1994) 269–323 |
| Matiyasevich, Yu., A direct method for simulating partial | 07 (1774) 207-323 |
| recursive functions by Diophantine equations | 67 (1994) 325–348 |
| McNaughton, R., Infinite games played on finite graphs | 65 (1993) 149–184 |
| Miller, C., Expansions of the real field with power functions | 68 (1994) 79– 94 |
| Mints, G., A normal form for logical derivations | 00 (1774) 17 74 |
| implying one for arithmetic derivations | 62 (1993) 65- 79 |
| Moerdijk, I., see Joyal, A. | 70 (1994) 51– 86 |
| Moses, M., see Downey, R. | 70 (1994) 113–139 |
| Nakano, H., A constructive logic behind the catch and | 70 (1774) 113 137 |
| throw mechanism | 69 (1994) 269-301 |
| Nerode, A., see Kagan, V. | 67 (1994) 161–182 |
| Nerode, A., see Marek, V.W. | 67 (1994) 269–323 |
| Newelski, L., Meager forking | 70 (1994) 141–175 |
| Oikkonen, J. and Väänänen, J., Game-theoretic inductive | 70 (1994) 141 175 |
| definability | 65 (1993) 265–306 |
| Ozawa, M., Forcing in nonstandard analysis | 68 (1994) 263–297 |
| Paris, J.B., Vencovská, A. and Wilmers, G.M. A natural prior prob | , , |
| ability distribution derived from the propositional calculus | 70 (1994) 243–285 |
| active distribution actived from the propositional calculus | 70 (1774) 243-203 |

| Péraire, Y., Infinitesimal approach of almost-automorphic | |
|---|-------------------|
| functions | 63 (1993) 283-297 |
| Peterzil, Y., Zilber's conjecture for some o-minimal | () |
| structures over the reals | 61 (1993) 223-239 |
| Pillay, A. and Rothmaler, P., Unidimensional modules: | () |
| uniqueness of maximal non-modular submodules | 62 (1993) 175-181 |
| Pillay, A., see Hart, B. | 62 (1993) 119–146 |
| Pleszkovich, M., see Fortnow, L. | 66 (1994) 231–276 |
| Prest, M., Remarks on elementary duality | 62 (1993) 183–205 |
| Prest, M., see Marcja, A. | 62 (1993) 167–173 |
| Ratajczyk, Z., Subsystems of true arithmetic and hierarchies | |
| of functions | 64 (1993) 95–152 |
| Rathjen, M., Proof theory of reflection | 68 (1994) 181-224 |
| Remmel, J.B., see Bäuerle, F.A. | 67 (1994) 61-112 |
| Remmel, J.B., see Marek, V.W. | 67 (1994) 269-323 |
| Rothmaler, P., see Pillay, A. | 62 (1993) 175-181 |
| Sain, I., see Biró, B. | 63 (1993) 201-225 |
| Sannella, D., see Harper, R. | 67 (1994) 113-160 |
| Schlindwein, C., Suslin's hypothesis does not imply | |
| stationary antichains | 64 (1993) 153-167 |
| Schmerl, J.H., see Kossak, R. | 65 (1993) 125-148 |
| Scowcroft, P. and Macintyre, A., On the elimination of | |
| imaginaries from certain valued fields | 61 (1993) 241-276 |
| Shavrukov, V. Yu., A note on the diagonalizable algebras of | |
| PA and ZF | 61 (1993) 161–173 |
| Shehtman, V.B., see Skvortsov, D.P. | 63 (1993) 69–101 |
| Shelah, S., Laflamme, C. and Hart, B., Models with second | |
| order properties V: A general principle | 64 (1993) 169–194 |
| Shelah, S., see Jin, R. | 69 (1994) 107–131 |
| Shelah, S., Cardinalities of topologies with small base | 68 (1994) 95–114 |
| Shelah, S., see Givant, S. | 69 (1994) 27– 51 |
| Shelah, S., see Louveau, A. | 63 (1993) 271–281 |
| Shlapentokh, A., Diophantine undecidability in some rings | |
| of algebraic numbers of totally real infinite extensions of Q | 68 (1994) 299–325 |
| Shore, R.A., see Ambos-Spies, K. | 63 (1993) 3- 37 |
| Simpson, S.G., see Friedman, H. | 62 (1993) 51– 64 |
| Skvortsov, D.P. and Shehtman, V.B., Maximal Kripke-type | |
| semantics for modal and superintuitionistic predicate logics | 63 (1993) 69–101 |
| Slaman, T., see Fortnow, L. | 66 (1994) 231–276 |
| Soare, R.I., see Ambos-Spies, K. | 64 (1993) 195–209 |
| Solovay, R., see Fortnow, L. | 66 (1994) 231–276 |
| Spinas, O., Dominating projective sets in the Baire space | 68 (1994) 327–342 |
| Stanley, M.C., A Π_2^1 singleton incompatible with 0^* | 66 (1994) 27– 88 |

| Starchenko, S., see Hart, B. 62 (1993) 119–146 Starchenko, S., see Hart, B. 69 (1994) 53–71 Steel, J.R., Inner models with many Woodin cardinals 65 (1993) 185–209 Stephan, F., see Fortnow, L. 66 (1994) 231–276 Stewart, I.A., Context-sensitive transitive closure operators 66 (1994) 277–301 Stob, M., see Downey, R. 65 (1993) 1–106 Subrahmanian, V.S., see Kagan, V. 67 (1994) 161–182 Taitslin, M.A., see Archangelsky, D.A. 67 (1994) 13–160 Toffalori, C., see Marcja, A. 62 (1993) 167–173 Urquhart, A., see Cook, S. 63 (1993) 103–200 Väänänen, J., see Oikkonen, J. 65 (1993) 265–306 van Costen, J. Axiomatizing higher-order Kleene realizability 70 (1994) 87–111 Vauzeilles, J., Cut elimination for the Unified Logic 62 (1993) 1–16 Veličković, B., see Louveau, A. 63 (1993) 271–281 Vencovská, A., see Paris, J.B. 70 (1994) 243–285 Verbrugge, R., see Berarducci, A. 61 (1993) 75– 93 Vlach, A.D., Hyperarithmetical relations in expansions 66 (1994) 231–276 |
|---|
| Steel, J.R., Inner models with many Woodin cardinals 65 (1993) 185–209 Stephan, F., see Fortnow, L. 66 (1994) 231–276 Stewart, I.A., Context-sensitive transitive closure operators 66 (1994) 277–301 Stob, M., see Downey, R. 65 (1993) 1–106 Subrahmanian, V.S., see Kagan, V. 67 (1994) 161–182 Taitslin, M.A., see Archangelsky, D.A. 67 (1994) 13–160 Toffalori, C., see Marcja, A. 62 (1993) 167–173 Urquhart, A., see Cook, S. 63 (1993) 103–200 Väänänen, J., see Oikkonen, J. 65 (1994) 277–203 van Engelen, F., On Borel ideals 70 (1994) 177–203 van Oosten, J. Axiomatizing higher-order Kleene realizability 70 (1994) 87–111 Vauzeilles, J., Cut elimination for the Unified Logic 62 (1993) 1– 16 Veličković, B., see Louveau, A. 63 (1993) 271–281 Vencovská, A., see Paris, J.B. 70 (1994) 243–285 Verbrugge, R., see Berarducci, A. 61 (1993) 75– 93 Vlach, A.D., Hyperarithmetical relations in expansions |
| Stephan, F., see Fortnow, L. 66 (1994) 231–276 Stewart, I.A., Context-sensitive transitive closure operators 66 (1994) 277–301 Stob, M., see Downey, R. 65 (1993) 1–106 Subrahmanian, V.S., see Kagan, V. 67 (1994) 161–182 Taitslin, M.A., see Archangelsky, D.A. 67 (1994) 13–160 Toffalori, C., see Marcja, A. 62 (1993) 167–173 Urquhart, A., see Cook, S. 63 (1993) 103–200 Väänänen, J., see Oikkonen, J. 65 (1993) 265–306 van Engelen, F., On Borel ideals 70 (1994) 177–203 van Oosten, J. Axiomatizing higher-order Kleene realizability 70 (1994) 87–111 Vauzeilles, J., Cut elimination for the Unified Logic 62 (1993) 1– 16 Veličković, B., see Louveau, A. 63 (1993) 271–281 Vencovská, A., see Paris, J.B. 70 (1994) 243–285 Verbrugge, R., see Berarducci, A. 61 (1993) 75– 93 Vlach, A.D., Hyperarithmetical relations in expansions |
| Stewart, I.A., Context-sensitive transitive closure operators 66 (1994) 277–301 Stob, M., see Downey, R. 65 (1993) 1–106 Subrahmanian, V.S., see Kagan, V. 67 (1994) 161–182 Taitslin, M.A., see Archangelsky, D.A. 67 (1994) 3–28 Tarlecki, A., see Harper, R. 67 (1994) 113–160 Toffalori, C., see Marcja, A. 62 (1993) 167–173 Urquhart, A., see Cook, S. 63 (1993) 103–200 Väänänen, J., see Oikkonen, J. 65 (1993) 265–306 van Engelen, F., On Borel ideals 70 (1994) 177–203 van Oosten, J. Axiomatizing higher-order Kleene realizability 70 (1994) 87–111 Vauzeilles, J., Cut elimination for the Unified Logic 62 (1993) 1–16 Veličković, B., see Louveau, A. 63 (1993) 271–281 Vencovská, A., see Paris, J.B. 70 (1994) 243–285 Verbrugge, R., see Berarducci, A. 61 (1993) 75– 93 Vlach, A.D., Hyperarithmetical relations in expansions |
| Subrahmanian, V.S., see Kagan, V. 67 (1994) 161–182 Taitslin, M.A., see Archangelsky, D.A. 67 (1994) 3–28 Tarlecki, A., see Harper, R. 67 (1994) 113–160 Toffalori, C., see Marcja, A. 62 (1993) 167–173 Urquhart, A., see Cook, S. 63 (1993) 103–200 Väänänen, J., see Oikkonen, J. 65 (1993) 265–306 van Engelen, F., On Borel ideals 70 (1994) 177–203 van Oosten, J. Axiomatizing higher-order Kleene realizability 70 (1994) 87–111 Vauzeilles, J., Cut elimination for the Unified Logic 62 (1993) 1–16 Veličković, B., see Louveau, A. 63 (1993) 271–281 Vencovská, A., see Paris, J.B. 70 (1994) 243–285 Verbrugge, R., see Berarducci, A. 61 (1993) 75–93 Vlach, A.D., Hyperarithmetical relations in expansions |
| Taitslin, M.A., see Archangelsky, D.A. 67 (1994) 3- 28 Tarlecki, A., see Harper, R. 67 (1994) 113-160 Toffalori, C., see Marcja, A. 62 (1993) 167-173 Urquhart, A., see Cook, S. 63 (1993) 103-200 Väänänen, J., see Oikkonen, J. 65 (1993) 265-306 van Engelen, F., On Borel ideals 70 (1994) 177-203 van Oosten, J. Axiomatizing higher-order Kleene realizability 70 (1994) 87-111 Vauzeilles, J., Cut elimination for the Unified Logic 62 (1993) 1- 16 Veličković, B., see Louveau, A. 63 (1993) 271-281 Vencovská, A., see Paris, J.B. 70 (1994) 243-285 Verbrugge, R., see Berarducci, A. 61 (1993) 75- 93 Vlach, A.D., Hyperarithmetical relations in expansions |
| Tarlecki, A., see Harper, R. 67 (1994) 113–160 Toffalori, C., see Marcja, A. 62 (1993) 167–173 Urquhart, A., see Cook, S. 63 (1993) 103–200 Väänänen, J., see Oikkonen, J. 65 (1993) 265–306 van Engelen, F., On Borel ideals 70 (1994) 177–203 van Oosten, J. Axiomatizing higher-order Kleene realizability 70 (1994) 87–111 Vauzeilles, J., Cut elimination for the Unified Logic 62 (1993) 1– 16 Veličković, B., see Louveau, A. 63 (1993) 271–281 Vencovská, A., see Paris, J.B. 70 (1994) 243–285 Verbrugge, R., see Berarducci, A. 61 (1993) 75– 93 Vlach, A.D., Hyperarithmetical relations in expansions |
| Toffalori, C., see Marcja, A. Urquhart, A., see Cook, S. Väänänen, J., see Oikkonen, J. van Engelen, F., On Borel ideals van Oosten, J. Axiomatizing higher-order Kleene realizability Vauzeilles, J., Cut elimination for the Unified Logic Veličković, B., see Louveau, A. Vencovská, A., see Paris, J.B. Verbrugge, R., see Berarducci, A. Vlach, A.D., Hyperarithmetical relations in expansions 62 (1993) 167–173 63 (1993) 103–200 65 (1993) 265–306 70 (1994) 177–203 70 (1994) 87–111 62 (1993) 1– 16 63 (1993) 271–281 70 (1994) 243–285 61 (1993) 75– 93 |
| Urquhart, A., see Cook, S. Väänänen, J., see Oikkonen, J. van Engelen, F., On Borel ideals van Oosten, J. Axiomatizing higher-order Kleene realizability Vauzeilles, J., Cut elimination for the Unified Logic Veličković, B., see Louveau, A. Vencovská, A., see Paris, J.B. Verbrugge, R., see Berarducci, A. Vlach, A.D., Hyperarithmetical relations in expansions 63 (1993) 103–200 65 (1993) 265–306 70 (1994) 87–111 70 (1994) 87–111 70 (1993) 271–281 70 (1994) 243–285 61 (1993) 75–93 |
| Väänänen, J., see Oikkonen, J.65 (1993) 265–306van Engelen, F., On Borel ideals70 (1994) 177–203van Oosten, J. Axiomatizing higher-order Kleene realizability70 (1994) 87–111Vauzeilles, J., Cut elimination for the Unified Logic62 (1993) 1– 16Veličković, B., see Louveau, A.63 (1993) 271–281Vencovská, A., see Paris, J.B.70 (1994) 243–285Verbrugge, R., see Berarducci, A.61 (1993) 75– 93Vlach, A.D., Hyperarithmetical relations in expansions |
| van Engelen, F., On Borel ideals70 (1994) 177–203van Oosten, J. Axiomatizing higher-order Kleene realizability70 (1994) 87–111Vauzeilles, J., Cut elimination for the Unified Logic62 (1993) 1– 16Veličković, B., see Louveau, A.63 (1993) 271–281Vencovská, A., see Paris, J.B.70 (1994) 243–285Verbrugge, R., see Berarducci, A.61 (1993) 75– 93Vlach, A.D., Hyperarithmetical relations in expansions |
| van Oosten, J. Axiomatizing higher-order Kleene realizability Vauzeilles, J., Cut elimination for the Unified Logic Veličković, B., see Louveau, A. Vencovská, A., see Paris, J.B. Verbrugge, R., see Berarducci, A. Vlach, A.D., Hyperarithmetical relations in expansions 70 (1994) 87–111 62 (1993) 1– 16 63 (1993) 271–281 70 (1994) 243–285 61 (1993) 75– 93 |
| Vauzeilles, J., Cut elimination for the Unified Logic62 (1993)1- 16Veličković, B., see Louveau, A.63 (1993)271-281Vencovská, A., see Paris, J.B.70 (1994)243-285Verbrugge, R., see Berarducci, A.61 (1993)75- 93Vlach, A.D., Hyperarithmetical relations in expansions |
| Veličković, B., see Louveau, A.63 (1993) 271–281Vencovská, A., see Paris, J.B.70 (1994) 243–285Verbrugge, R., see Berarducci, A.61 (1993) 75– 93Vlach, A.D., Hyperarithmetical relations in expansions |
| Vencovská, A., see Paris, J.B. Verbrugge, R., see Berarducci, A. Vlach, A.D., Hyperarithmetical relations in expansions 70 (1994) 243–285 61 (1993) 75–93 |
| Verbrugge, R., see Berarducci, A. 61 (1993) 75–93 Vlach, A.D., Hyperarithmetical relations in expansions |
| Vlach, A.D., Hyperarithmetical relations in expansions |
| |
| 6 1 |
| of recursive structures 66 (1994) 163–196 |
| Wainer, S.S., see Handley, W.G. 70 (1994) 17-49 |
| Wilmers, G.M., see Paris, J.B. 70 (1994) 243–285 |
| Yakhnis, A. and Yakhnis, V., Gurevich-Harrington's games |
| defined by finite automata 62 (1993) 265–294 |
| Yakhnis, V., see Yakhnis, A. 62 (1993) 265–294 |
| Yu, X., see Friedman, H. 62 (1993) 51- 64 |
| Yue, Y., see Downey, R.G. 68 (1994) 161–171 |

